

SECTION 1 – PRODUCT IDENTIFICATION			
Product Name:	"MAGIC STAIN REMOVER PEN"		
Distributor:	Rubbedin Pty Ltd		
Address:	Unit 1/43 Neumann Road Capalaba QLD 4157		
Regular Phone No:	(07) 3245 3255	FAX:	(07) 3245 2554
Emergency Phone No:	0405358685	Email:	info@rubbedin.com.au
Substance:	Proprietary blend of hydrogen peroxide and surfactants	Product Use:	Instant stain remover pen
Product Code:	08-10 P		

SECTION 2 – HAZARDS IDENTIFICATION			
Classification of the substance or mixture			
SUSMP Poisons Schedule	This product is NOT classified as a Scheduled Poison according to the SUSMP.		
Dangerous Goods	This product is NOT classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code.		
GHS Classification	Flammable Liquids – Category 4		
Label elements			
GHS label pictograms	Exclamation Mark		
Signal word	WARNING		
Hazard statement(s)			
	Combustible liquid.		
Precautionary statement(s):	General		
	Keep out of reach of children.		
Precautionary statement(s):	Precautionary statement(s): Prevention		
	Keep away from flames and hot surfaces. – No smoking.		
	Wear protective gloves, eye and face protection.		
Precautionary statement(s):	Response		
	In case of fire: Use an extinguishing media suitable for surrounding fires.		
Precautionary statement(s):	Storage		
	Store in a well-ventilated place. Keep cool.		
Precautionary statement(s): Disposal			
	Dispose of contents/container in accordance with local regulations.		
Note			
IMPORTANT	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. Good hygiene and housekeeping practices should be adhered to.		

SECTION 3 – INGREDIENTS		
Ingredients:	CAS Number:	Proportion:
Ethanol	64-17-5	< 10% w/w
Ingredients determined to be non-hazardous at the concentrations used	Various	to 100% w/w



SECTION 4 - EMERGENCY AND FIRST AID PROCEDURES		
Scheduled Poisons	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).	
First Aid Facilities	Normal washroom facilities.	
Skin contact	Wash skin with plenty of water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.	
Eye contact	Immediately irrigate with water for at least 15 minutes. Eyelids to be held open. Seek medical advice (e.g. ophthalmologist) if any irritation persists.	
Ingestion	Do NOT induce vomiting. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).	
Inhalation	Remove victim to fresh air away from exposure - avoid becoming a casualty. Seek medical advice (e.g. doctor) if symptoms persist.	
Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient.	
Aggravated Medical	None known	
Conditions		

SECTION 5 – FIRE FIGHTING MEASURES		
Fire and Explosion	Combustible liquid. If involved in a fire, products of combustion include carbon oxides and	
Hazards	traces of incompletely burned carbon compounds.	
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.	
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self- contained breathing apparatus (SCBA) if risk of exposure to products of combustion or decomposition. Evacuate area - move upwind of fire.	
Flash Point	80 °C	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	No HAZCHEM code
Occupational Release	Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. For large spills, or tank rupture, consider initial evacuation distance of 200 metres in all directions. Stop leak if safe to do so. If available, use water spray to disperse vapour and dilute spill. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert
	material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE

Handling	Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling.
Storage	Store in a cool, dry, place with good ventilation. Avoid storing in aluminum and light alloy containers. Store away from incompatible materials (Section 10). Keep containers closed at all times – check regularly for leaks.



SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION		
Exposure Limits	National Occupational Exposure Limits, as published by Safe Work Australia:	
	Time-weighted Average (TWA): Ethanol 1000ppm (1880mg/m3)	
	Short Term Exposure Limit (STEL): None established for specific product.	
Engineering Controls	Not required under normal use conditions. Use is well ventilated areas.	
Personal Protective	Use good occupational work practice. The use of protective clothing and equipment depends	
Equipment	upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken.	
Eye Protection	Generally, not required to handle as per label directions.	
$\overline{\mathbf{\Theta}}$	The use of safety glasses, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard ; soft lenses may absorb irritants and all lenses concentrate them.	
Skin Protection	Generally, not required to handle as per label directions.	
	Overalls, work boots and protective gloves are recommended (as per AS/NZS 2161, or as recommended by supplier) to handle in quantity, cleaning up spills, decanting, etc.	
Protective Material Types	Material suitable for detergent contact – Butyl rubber, Natural Latex, Neoprene, PVC, and Nitrile.	
Respirator	Generally not required to handle as per label directions.	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	Colour	Colourless
Odour	N/A	Specific Gravity	1.00 @ 25 °C
Boiling Point	>90ºC	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	80ºC	Flammable Limits	None
Water Solubility	100%	рН	4.0 – 8.0 neat
Volatile Organic		Coefficient of Water/Oil	
Compounds (VOC)	Not available	Distribution	Not available
Viscosity	As water	Odour Threshold	Not available
Evaporation Rate	Not available	Per Cent Volatile	Not available

SECTION 10 – STABILITY AND REACTIVITY		
Chemical Stability	Stable at normal temperatures and pressure.	
Conditions to Avoid	Open flame, high temperature	
Incompatible Materials	Dust, prolonged contact with metallic or organic materials	
Hazardous	Product can decompose on combustion to form carbon monoxide, carbon dioxide, and other	
Decomposition	possibly toxic gases and vapours.	
Hazardous Reactions	None known	

SECTION 11 – TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product		
label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:		
Ingestion		
short term exposure	Low oral toxicity. If ingested, may cause slight gastrointestinal irritation.	
long term exposure	No information available.	
Skin contact		
short term exposure	May cause slight irritation following prolonged skin contact.	



long term exposure	Prolonged and repeated skin contact may aggravate dermatitis in sensitive individuals and may cause temporary whitening of the skin. Contact with irritated or damaged skin may aggravate existing conditions.	
Eye contact		
short term exposure	Eye contact may result in transient stinging and/or slight irritation.	
long term exposure	No toxic manifestation known through eye contact.	
Inhalation		
short term exposure	Low toxicity. Inhalation may produce respiratory irritation.	
long term exposure	No toxic manifestation known through inhalation.	
Carcinogen Status		
SWA	No significant ingredient is classified as carcinogenic by SWA.	
NTP	No significant ingredient is classified as carcinogenic by NTP.	
IARC	No significant ingredient is classified as carcinogenic by IARC.	
Respiratory Sensitisation	Not expected to be a respiratory sensitizer.	
Skin Sensitisation	Not expected to be a skin sensitizer.	
Germ cell mutagenicity	Not considered to be a mutagenic hazard.	
Reproductive Toxicity	Not considered to be toxic to reproduction.	
STOT-single exposure	Not expected to cause toxicity to a specific target organ.	
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.	
Aspiration Hazard	Not expected to be an aspiration hazard.	

SECTION 12 – ECOLOGICAL INFORMATION

SECTION 12 - ECOLOGI	CALINFORMATION	
Eco-toxicity	None available for specific product	
Product (as sold)		
Persistence and	Individual components have been specifically included in this product because they are	
degradability	known to be readily biodegradable and of low toxicity to fish and other aquatic organisms.	
Bio accumulative potential	None available for specific product	
Mobility in soil	None available for specific product	
Other adverse effects	None available for specific product	
	Product miscible in all proportions with water. As with any chemical product, do not	
Environmental Protection	discharge BULK quantities into drains, waterways, sewer or environment. Inform local	
	authorities if this occurs.	
SECTION 13 – DISPOSAL CONSIDERATIONS		
Disposal	The small quantities contained in wash solutions (when used as directed) can generally be	
	handled by conventional sewage systems, septics, and grey water systems.	
	To dispose of quantities of undiluted product, refer to State Land Waste Management	
	Authority. Transfer product residues to a labelled, sealed container for disposal or recovery.	
	Waste disposal must be by an accredited contractor. As with any chemical, do not put down	
	the drain in quantity. For larger scale use, eg. Commercial laundry operations, a recycled water	
	system is often recommended, or Trade Waste License obtained for disposal to sewer.	

SECTION 14 – TRANSPORT INFORMATION				
Labels Required				
ADG	Not classified as Dangerous Goods.			
IMDG Marine Pollutant	No			
Land Transport (ADG)				
UN Number	none allocated	ADG Classification	none allocated	
Shipping Name	none allocated	ADG Subsidiary Risk	none allocated	
Hazchem Code	none allocated	Packing Group	none allocated	



SECTION 15 – REGULATORY INFORMATION		
GHS Classification	This product is classified as Hazardous according to the Globally Harmonised System of	
	Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations,	
	Australia.	
SUSMP	This product is NOT classified as a Scheduled Poison according to the SUSMP	
ADG Code	This product is NOT classified as Dangerous Goods according to the Australian Dangerous Goods	
	Code.	
AICS	All ingredients present on AICS.	

SECTION 16 – OTHER INFORMATION		
Issue Date	30th October 2020	
Version Number	V 1.0	
Abbreviations and	ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.	
acronyms	AICS: Australian Inventory of Chemical Substances.	
	CAS Number: Chemical Abstracts Service Registry Number.	
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
	HAZCHEM: An emergency action code of numbers and letters which gives information to	
	emergency services.	
	HSIS: Hazardous Substances Information System	
	IARC: International Agency for Research on Cancer.	
	NOHSC: National Occupational Health and Safety Commission.	
	NTP: National Toxicology Program (USA).	
	SDS: Safety Data Sheet	
	STEL: Short Term Exposure Limit.	
	SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.	
	TWA: Time Weighted Average.	
	UN Number: United Nations Number.	
Literature references	Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work	
	Australia)	
	GHS Hazardous Chemical Information List (Safe Work Australia)	
	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations.	
	Global Harmonized System of Classification and Labelling of Chemicals (GHS)	
	"Australian Exposure Standards". Safework Australia	
	Australian Code For The Transport Of Dangerous Goods By Road And Rail	
	Standard for the Uniform Scheduling of Medicines and Poisons	
	Material Safety Data Sheets – individual raw materials – Suppliers	
	HSIS – Hazardous Substance Information System – National Safe Work Australia Data Base.	
	HCIS – Hazardous Chemical Information System – National Safe Work Australia Data Base.	
This SDS summarizes at the date	of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely	

This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.

The SDS is valid for five years from date of issue but may be withdrawn and revised at any time prior to that date. All information contained in the Data Sheet is as accurate as possible at the time of issue. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. No expressed or implied warranties nor any responsibility for damages resulting from use of the information are given other than those implied mandatory by Commonwealth, State or Territory Legislation. If this product is to be re-packaged by others, it will be necessary for a new SDS to be generated by the re-packer.

End of SDS